



COMPREHENSIVE PRODUCT CATALOG



The name "DEERFOS" is synonymous with trust built on reliable product quality, continual technology development and perfect customer services.

DEERFOS
COMPREHENSIVE PRODUCT CATALOG Ver. 2



Email: deerfos@deerfos.com
www.deerfos.com

www.deerfos.com

COMPREHENSIVE PRODUCT CATALOG



DEERFOS

'DEER' from the brand name DEERFOS symbolizes sustainability while 'FOS' stands for force and strength needed in developing and manufacturing abrasives products.

**DEERFOS is
the top leading professional Korean abrasive manufacturing brand.**

DEERFOS, is the first brand name that comes to mind when you hear the word "abrasives" in Korea.

Established in 1963 as the first manufacturer of abrasives materials in Korea, DEERFOS has been leading economic growth of Korea by supplying a variety of abrasives products to manufacturing fields such as wood, metal, non-ferrous, metal, glass, automobile, and MDF industries. With manufacturing facilities located in Korea, and China, and processing and logistics bases located in the Poland, India, Indonesia, Mexico, Brazil and Colombia, we now provide services globally with our partners to 80 different countries around the world. Trust, innovation and technology are the key ingredients which Deerfos nurture in a rapidly changing global environment.

Deerfos is constantly improving product quality and developing new products with advanced technology from R&D center and quality assurance team. We are ISO 9001 certified and hold 30 different global patents. "DEERFOS" promises to continue to provide the best solution to all demands and customer needs that arise in different markets.

CONTENTS

COMPANY PROFILE	05
HISTORY	06
Why DEERFOS	08
Meet DEERFOS	08
DEERFOS LOCATION	09
PATENT & CERTIFICATE	09
GLOBAL BRANCHES	10
DEERFOS NETWORK	11
ABOUT DEERFOS PRODUCT	13
PRODUCT FORMATION	14
PRODUCT SUMMARY	15
PICTOGRAM DESCRIPTION	16
PAPER/FILM	25
PRIZMA	36
DEERNET	38
CLOTH	43
COMPACT	65
FIBER	71
FLAP DISC · FLAP WHEEL	77
SG DISC	85
BOARD	89
BORA	95
NON-SLIP TAPE (NSTP)	101


MISSION

DEERFOS continues to strive for customer satisfaction with confidence and trust, making the world more convenient and beautiful.

VISION

With 60 years of experience in the global abrasives market, DEERFOS as a global leader, now promises upcoming 100 years future of trust

HISTORY | past 60 years, 100 years to come



1960

1963. 04
Company established as Korea Abrasives

1964. 02
Began production of paper and cloth abrasive products

1968. 11
Developed and began production of paper resin adhesive

1969. 07
Began production of fiber disc

1970

1975. 10
Began production of wide belts (plywood)

1977. 10
Expanded to Incheon factory (52, Gajwa-ro 83beon-gil, Seo-gu, Incheon)

1980

1984. 01
Relocated HQ (52, Gajwa-ro 83beon-gil, Seo-gu, Incheon)

1990

1994. 09
Founded Research & Development center

1996. 06
Expanded to Jincheon factory (57, Mundeok-gil, Munbaek-myeon, Jincheon-gun, Chungcheongbuk-do)

1996. 07
Obtained ISO 9002

1999. 04
Established Colombia branch

1999. 05
Selected as a venture company

2000

2001. 02
Established Indonesia branch

2002. 07
Changed to ISO 9001

2002. 11
Awarded Tin Tower Order of Industrial Service Merit

2003. 10
Established China branch

2004. 12
Achieved 30 million dollar export sales

2005. 09
Established Europe branch

2005. 12
Established India branch

2006. 05
CI change from Korea Abrasives to Deerfos

2007. 07
Obtained certification for World Class Products & Manufacturer

2007. 08
Established Brazil branch

2008. 09
Completed construction of Seoul Office (84, Yeongdeungpo-ro, Yeongdeungpo-gu)

2008. 11
Achieved 50 million dollar export sales – 560 million won sales

2010

2013. 04
50th anniversary of Deerfos

2014. 12
Achieved 100 million dollar sales

2018. 04
Transitioned to middle-sized enterprise

2019. 03
Established 2nd Jincheon factory (302, Sangsin-ri, Jincheon-eup, Jincheon-gun, Chungcheongbuk-do)


2020

2021. 01.
Established the Finished Goods R&D Center

2021. 08.
Renovated the R&D Center

Why DEERFOS

There is a reason why customers choose DEERFOS.



Meet DEERFOS

Check out various DEERFOS products through the video.

<p>DEERFOS Corporate Video</p> <p>(ENG) DEERFOS Corporate Video</p>	<p>Flap Disc Line-up</p> <p>DEERFOS Flap Disc Line-up</p>
<p>AUTO SOLUTION</p> <p>(ENG) DEERFOS AUTO SOLUTION</p>	<p>BLUE Cutting & Grinding Wheel</p> <p>(ENG) BLUE Cutting & Grinding Wheel</p>
<p>Compact For Your Work Life</p> <p>DEERFOS RESIN Compact For Your Work Life</p>	<p>To Infinity with BORA</p> <p>TO INFINITY WITH BORA DEERFOS TO INFINITY WITH BORA</p>

DEERFOS LOCATION



PATENT & CERTIFICATE

With more than 40 global certifications and patents, the exceptional technology of DEERFOS is internationally recognized.

<p>ISO 9001 (1996-)</p>	<p>IONet CERTIFICATE</p>	<p>Abrasives product manufacturing technology</p>	<p>Eco-friendly abrasives products and manufacturing technology</p>
<p>Magic tape film belt and manufacturing technology</p>	<p>Abrasives product manufacturing technology without backing</p>	<p>Manufacturing technology for multi-layered materials</p>	<p>3D abrasive manufacturing technology</p>

World-Class Product Certificate

GLOBAL BRANCHES

DEERFOS (HANGZHOU) ABRASIVES CO., LTD.



Address No.333 Hongxing Road, Qiaonanqu, Xiaoshan Economic&Technological Development Zone, Hangzhou, Zhejiang, CHINA

Tel +86-0571-8286-9783

Fax +86-0571-8286-9782

E-mail shzwen@deerfos.com

Web <http://www.deerfos.com/chn>

DEERFOS EUROPE



Address Blonie, ul. Akacjowa 15 55-330 Miekinia, Poland [NIP : PL 691 239 35 87]

Tel +48-71-345-6606

Fax +48-71-345-6606 + 29

E-mail poland@deerfos.com

Web <https://www.deerfos.com.pl>

DEERFOS INDIA PRIVATE LIMITED



Address PLOT NO. 479, PHASE 1, I.E. BARHI, SONEPAT(HARYANA), INDIA

Tel +91-130-6690-125 / +91-999-1635-374

E-mail kaicodeer@deerfos.com

Web <http://www.deerfos.com/eng>

PT. DEERFOS INDONESIA



Address JL. Raya Gunung Gangsir No.27. Beji, Pasuruan Jawa Timur, INDONESIA

Tel +62-343-65-5555

Fax +62-343-65-8989

E-mail deerfosindonesia@gmail.com

Web <http://www.deerfosindonesia.com>

DEERFOS MEXICO S.A DE C.V



Address AV. SANTIAGO AHUIZOTLA NO.6 INT.D , COLONIA AHUIZOTLA , NAUCALPAN DE JUAREZ, ESTADO DE MEXICO, C.P.53358

Tel +52-1-55-5357-0751 / +52-55-5358-0708

E-mail mexico@deerfos.com

Web <http://www.deerfos.com.mx>

E.M.A DEER ABRASIVE S.A.S



Address Calle 2 # 18-93 Bodega 1 Parque Industrial San Jorge, Mosquera - Cundinamarca

Tel +57(1)-893-44-02

E-mail sergioaldana@deerfos.com.co

Web <http://www.deerfos.com.co>

Deerfos América Latina Ltda.



Address Rua Voluntários da Pátria, 654 Sala 912/914/915 - Santana São Paulo - SP - Brasil CEP 02010-000

Tel +(11)-3171-3005 (São Paulo) / +(44)-3262-2703 (Maringá)

Fax +48-71-345-6606 + 29

E-mail ADM : americalatina@deerfos.com.br / Vendas : jorge@deerfos.com.br

Web <http://www.deerfos.com.br>

DEERFOS NETWORK

DEERFOS has global competitiveness through its worldwide network with subsidiary branches located in 7 countries around the world.





■ HEAD OFFICE ■ BRANCH OFFICE ■ TRADING COUNTRY

A collection of DEERFOS abrasive products is arranged on a dark surface. In the foreground, several stacks of sandpaper are visible, some with the DEERFOS logo and 'SOJ2330' printed on them. Behind the sandpaper, there are several boxes and packets, some labeled 'Abrasive Professional DEERFOS' and 'ABRASIVE CLOTH DEERFOS'. A large white circle is superimposed on the image, containing the text 'ABOUT DEERFOS PRODUCTS'.

**ABOUT
DEERFOS
PRODUCTS**

PRODUCT FORMATION


Coated Abrasives are made with flexible backing, which consists of the following three components, Backing, Bond, Abrasive Grain



Backing	Paper / Cloth / Film / Fiber
Grain	Aluminium Oxide / Silicon Carbide Zirconia Alumina / Ceramic / Compact
Make Coat Base Coat	Synthetic Resin / Hide Glue
Size Coat	Synthetic Resin / Hide Glue


PRODUCT SUMMARY

You can check all Deerfos products at a glance.



PICTOGRAM DESCRIPTION


APPLICATIONS



ETC.

Air Blade / Aluminum and zinc die casting / Bearing / Brass / Camshaft / Carbon Steel / Cast Steel / CD / Coil / Copper alloy / Die castings / Heat treated steel / Lacquer / Magnetic Heads Lapping / Magnetic Media / Metal / Metallurgical / Nickel Alloyed / PCB / Primers / Profiled workpieces / Rubber / Scissors / Textile / Titanium / Titanium alloy / Tool making industry / Varnish / Plastic


FEATURE



ETC.

Dry Sanding / Wet and Dry sanding / Wet Sanding

PRODUCT FORM




ETC.

Narrow Roll

MEMO

Clean Work Environment
Is your product clean?



DUST FREE
PREMIUM NET ABRASIVE

DEER NET



DEERFOS MULTI-HOLE SANDING DISCS

Higher productivity


Hole pattern is placed in the same direction in which the disc spins providing maximum comfort

Optimal dust extraction

Holes enlarge outward in a spiral structure providing optimized anti-clogging effect and extensive lifetime

Compatible with a wide variety of sanding pad

Deerfos multihole disc is compatible with generic 9hole, 15hole, 17hole sanding pad



5 inch Multi-Hole

6 inch Multi-Hole



Not Finished Yet!

Without



BORA



Abrasive Professional
DEERFOS

COMPACT GRAIN PRODUCTS

DEERFOS COMPACT gives you the higher class of grinding performance and productivity. COMPACT products keep you abreast of the latest developments in all metal applications and industries. This is your best choice!

Perfectly prepared for
any job you want

FLAP WHEEL FLAP DISC





Abrasive Professional
DEE
www.deeusa.com

PAPER / FILM


BEST




AC768 / CC768

Grain type **Silicon Carbide**
 Backing **AC768 - Awt Paper | CC768 - Cwt Paper**
 Color **Black**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Very Flexible and Waterproof Abrasive Paper
 High cutting Performance
 High Grain-adhesion
 Wet and Dry Sanding

GRIT SIZES **AC768 - 180, 220, 240, 280, 320, 400, 500, 600, 800, 1000, 1200, 1500, 2000**
CC768 - 60, 80, 100, 120, 150

Available on demand only **AC768 - 360**
 (Not regularly produced)

APPLICATIONS **Paint / Primer / Plastic / Metallurgical / Furniture / Soft Wood**

BEST



CC261

Grain type **Silicon Carbide**
 Backing **Cwt Paper**
 Color **Black**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Waterproof Abrasive Paper
 Level Sanding
 Wet and Dry sanding

GRIT SIZES **60, 80, 100, 120, 150, 180, 220, 320, 400, 500, 600, 800, 1000, 1200, 1500, 2000**

Available on demand only **240, 280, 360**
 (Not regularly produced)


APPLICATIONS **Wood / Primer / Plastic / Metallurgical / Paint**



BAM18

Grain type **Aluminum Oxide**
 Backing **Bwt Paper (P120-800) / Dwt Paper (P36-100)**
 Color **White**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Zinc stearate coated for Anti-Clogging (Anti-Loading)
 High cutting performance
 Dry Sanding


GRIT SIZES **40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600, 800**

Available on demand only **36, 360, 500**
 (Not regularly produced)

APPLICATIONS **Paint / Repair / Automotive Body / Wood / General Metal**



BEST




ACM66 / CCM66

Grain type **Silicon Carbide**
 Backing **ACM66 - Awt Paper | CCM66 - Cwt Paper**
 Color **White**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**

APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Coated Zinc Stearate for Anti-Clogging (Anti-Loading)
 Dry Sanding

APPLICATIONS

Paint / Furniture / Auto Repair / Plastic

GRIT SIZES **ACM66 - 180, 220, 240, 280, 320, 400, 600**
CCM66 - 60, 80, 100, 120, 150

Available on demand only **ACM66 - 360, 500**
 (Not regularly produced)


BEST Recommended for Automotive



CA331

Grain type **Aluminum Oxide**
 Backing **Cwt Paper (P60-800) / Ewt Paper (P36, P40)**
 Color **Yellow**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Top Coat applied for Anti-Clogging (Anti-Loading)
 Surface Sanding and Finishing
 Dry Sanding

GRIT SIZES **36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600, 800**

Available on demand only **280, 360**
 (Not regularly produced)

APPLICATIONS


Paint / Repair / Automotive Body / General Metal / Wood




CCM65

Grain type **Silicon Carbide**
 Backing **Cwt Paper**
 Color **White**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1410mm**


APPLICATIONS



FEATURES



PRODUCT FORM




BENEFITS

Suitable product for wood, furniture painted & lacquered surface sanding as sheet & narrow belts form
 Better surface finish
 Level sanding
 Hand sanding
 Dry Sanding

GRIT SIZES **60, 80, 100, 120, 150, 180, 220, 320, 400, 500, 600, 800**

Available on demand only **240, 280, 360**
 (Not regularly produced)






DA367

Grain type Aluminum Oxide
 Backing Dwt Paper
 Color Yellow
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1410mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Anti-clogging (Anti-loading) treatment
 Surface Sanding and Finishing
 Dry Sanding

GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 320, 400

Available on demand only 240, 280, 360
 (Not regularly produced)

APPLICATIONS


Paint / Repair / Automotive Body




EA343

Grain type Aluminum Oxide
 Backing Ewt Paper
 Color Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-clogging (Anti-loading) / Anti-static treatment
 High durability
 Dry Sanding

GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600

APPLICATIONS


Soft Wood / Veneer / Textile / Leather / Paint / Plastic / Auto Paint




EC143

Grain type Silicon Carbide
 Backing Ewt Paper
 Color Black
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-clogging (Anti-loading) / Anti-static treatment
 Dry Sanding


GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 360, 400, 500, 600

APPLICATIONS

Plywood / MDF Board / Particle Board / Textile / Plastics / Leather / Paint

Available on demand only 280
 (Not regularly produced)

BEST Recommended for Automotive



SA331

Grain type Aluminum Oxide
 Backing PE Film
 Color Blue
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm



SA335

Grain type Aluminum Oxide
 Backing PE Film
 Color Gray
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm



SA330


Grain type Aluminum Oxide
 Backing PE Film
 Color Red
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm




SA350

Grain type Aluminum Oxide
 Backing PE Film
 Color Green
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 36(SA331), 40., 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000

Available on demand only 36(SA335)
 (Not regularly produced)

FEATURES




BENEFITS

Yields smoother surface compared to the paper product due to the flat film backing.
Extended durability with film backing
 Top Coat applied for Anti-Clogging (Anti-Loading)
 Surface and Edge Sanding
 Wet and Dry sanding

APPLICATIONS


Paint / Repair / Automotive Body / General Metal / Wood




SA700

Grain type Aluminum Oxide
 Backing PE Film
 Color Blue green
 Coating Close Coat
 Bonding Slurry
 Jumbo roll width 1000mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 2500, 3000

FEATURES



BENEFITS

Excellent surface finishing
 Reduce overall process time
 Wet and Dry sanding

APPLICATIONS

Plastic / Metal / Magnetic Media / Car Finishing / Super Finishing




Recommended for Crankshaft, Camshaft




SA221

Grain type	Aluminum Oxide
Backing	PE Film
Color	Gold
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-Slip treatment
 Super Finishing
 Surface Sanding
 High Cutting Performance
 Wet and Dry Sanding

APPLICATIONS

Camshaft / Crankshaft / Bearing Surface / Metal / Rubber / Miscellaneous Surface (Leather..)


GRIT SIZES 320, 400, 500, 600, 800, 1000, 1200, 1500, 2000

Available on demand only 150, 180, 220, 240, 280, 360
 (Not regularly produced)



NA331

NA331 displays stable surface roughness and at the same time demonstrates equal sanding power performance to common film products



Deerflex

Deerfos' most flexible film product on hook and loop backing


Grain type	Aluminum Oxide
Backing	TPU Film + Hook&Loop
Color	Gray
Coating	Open Coat
Bonding	Resin over resin
Jumbo roll width	1000mm

Deersoft


Deerfos' most soft film product which excels in attaching especially to curved sanding material shapes

Grain type	Aluminum Oxide
Backing	TPU Film + Sponge
Color	Gray
Coating	Open Coat
Bonding	Resin over resin
Jumbo roll width	1000mm


APPLICATIONS




APPLICATIONS



PRODUCT FORM



PRODUCT FORM



GRIT SIZES 120, 180, 220, 240, 320, 400, 600, 800, 1000, 1200, 1500, 2000

GRIT SIZES 120, 180, 220, 240, 320, 400, 600, 800, 1000, 1200, 1500, 2000



[The Property of Deerflex & Deersoft]

- Surface roughness** : Provide better surface roughness compared to conventional film products
- Scratch** : Prevents deep scratch through high flexibility
- Sanding performance** : Presents same sanding performance with conventional film product
- Benefit** : Unlike conventional sand papers, Deerflex and Deersoft can sand all different shapes and corners evenly without damaging the surface Wet and Dry sanding

PRIZMA


BEST Recommended for Automotive




Prizma Film (SC032)

Grain type	Silicon Carbide
Backing	PE Film
Color	Purple(MF), Gray(VF), Green(SF), Light green(UF)
Coating	Open Coat
Bonding	Pattern
Jumbo roll width	-

APPLICATIONS



PRODUCT FORM



GRIT SIZES 2000, 2500, 3000, 4000

FEATURES



BENEFITS

3D Pattern Grain
Removal of sanding dust
High cutting performance
Spot Sanding
Wet and Dry sanding

APPLICATIONS

Paint / Repair / Automotive Body




Prizma Cloth (JA011 / XA011)

Grain type	Aluminum Oxide
Backing	JA011 - Jwt Poly Cotton XA011 - Xwt Poly Cotton
Color	Dark Gray
Coating	Open Coat
Bonding	Pattern
Jumbo roll width	420mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 400, 600, 800, 1000, 2500

FEATURES



BENEFITS



Used for metal surface finishing work
Adequate for Medium contact pressure sanding
Dry sanding

APPLICATIONS

General Metal / Aluminium / Stainless Steel / Titanium




DEERNET (ZA350M)



Grain type	Aluminum Oxide
Backing	PE Net
Color	Green - White MSC
Coating	Open Coat
Bonding	Resin over resin
Jumbo roll width	980mm

APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800

BENEFITS

Premium Net Abrasives for Dust Free sanding
 Anti-clogging and Anti-Burning
 Longer life time
 Dry sanding

APPLICATIONS

Paint / Repair / Automotive Body / Wood / Furniture / Marble

DEERFOS AUTO Solution


Process	PANEL		PUTTY						PRIMER				CLEAR COATING			SPOT			
	Range	60 80 100 120 150 180 220 240 280	OLD PAINT(COATING) Putty, Primer, Clear coat						320 360 400 600 800	1000 1200 1500			2000 2500 3000 4000						
Premium Line	BORA 1		SA331						SA331			PRIZMA™							
Standard line			SA331									PRIZMA™							
Basic Line			CA331 or BAM18									SA331		PRIZMA™					
DEERFOS Solution	BORA 1 80		SA331 120 220			SA331 220 400			SA331 2000			PRIZMA™ 3000							





CLOTH

BEST



KA162

Grain type Aluminum Oxide
 Backing Jw Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1410mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Hand-working only
 KA162 is Stiffer than KA164
 Surfacing and Edge Grinding
 Dry Sanding

GRIT SIZES 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400

Available on demand only 36, 50, 280, 360
 (Not regularly produced)



KA169

Grain type Aluminum Oxide
 Backing JXwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1410mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Hand-working only
 Wear resistant
 For manual application in general metal & wood working
 Surface Sanding and Edge Grinding
 Dry Sanding

GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400

Available on demand only 280, 360
 (Not regularly produced)

APPLICATIONS
 Wood / General Metal / Lacquer / Varnish

APPLICATIONS
 Wood / General Metal / Lacquer / Varnish



KA164

Grain type Aluminum Oxide
 Backing JJwt Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1410mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Hand-working only
 Flexible backing
 For manual application in general metal & wood working
 Dry Sanding

GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 320, 400

Available on demand only 280, 360, 500, 600
 (Not regularly produced)


APPLICATIONS
 Wood / General Metal / Lacquer / Varnish



KA537

Grain type Aluminum Oxide
 Backing Jw Cotton
 Color Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Multi-purpose sanding (Grinding / Finishing / Polishing)
 Aggressive / high cutting performance
 Dry sanding

GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 320, 400

Available on demand only 280, 360, 500, 600
 (Not regularly produced)


APPLICATIONS
 Stainless Steel / Alloy / Hard Wood / Brass / Watch Case, Door Handle, Surgical instrument



JA344


Grain type Aluminum Oxide
 Backing JJwt Poly Cotton
 Color Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



ETC.
 Plastic
 Lacquer
 Veneer

PRODUCT FORM



GRIT SIZES 100, 120, 150, 180, 280, 320, 400, 600

Available on demand only 60, 80, 220, 240, 360, 500
 (Not regularly produced)

FEATURES



ETC.
 Dry Sanding

BENEFITS

Very Flexible Product
 Good surface finishing
 Dry sanding

APPLICATIONS

Soft Wood / Resinous Wood / Veneer / Plastic / Lacquer


BEST Recommended for Wood



JA165


Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



ETC.
 Plastic
 Lacquer
 Veneer

PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600

Available on demand only 360, 500
 (Not regularly produced)

FEATURES




ETC.
 Dry Sanding

BENEFITS

Anti-static Product
 Flexible backing
 Dry sanding

APPLICATIONS


Soft Wood / Resinous Wood / Veneer / Plastic / Lacquer



JA346


Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



ETC.
 Plastic
 Lacquer
 Veneer

PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 320

Available on demand only 280, 360, 400, 500, 600
 (Not regularly produced)

FEATURES



ETC.
 Dry Sanding

BENEFITS

Anti-loading / Anti-static Product
 Gives better sanding and a cleaner working environment
 Flexible product
 Very long life
 Dry sanding

APPLICATIONS

Soft Wood / Resinous Wood / Lacquer / Veneer / Plastic

BEST



JA512


Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



ETC.
 Carbon Steel
 Cast Steel
 Die Casting
 Scissors


PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600, 800, 1000

Available on demand only 40, 50, 360, 500
 (Not regularly produced)

FEATURES



ETC.
 Dry Sanding

BENEFITS

Burn Free treatment added
 Flexible Backing
 Good at Scissors or surgical products grinding
 Dry sanding

APPLICATIONS

Stainless Steel / Heat treatment Steel / Fork, Scissors, Surgical Instruments / Die Casting / Carbon Steel / Hard Wood / Cast Steel / Chair, Desk, Furniture




JA513

Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES




BENEFITS

Especially long cool cut
 High cutting performance
 Dry sanding

APPLICATIONS

Wood / Resinous Wood / Veneer / Plastic / Lacquer

PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600


Available on demand only 360, 500
 (Not regularly produced)




JA535

Grain type Aluminum Oxide
 Backing JXwt Poly Cotton
 Color Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 600

Available on demand only 40, 50, 280, 360, 500, 800
 (Not regularly produced)

FEATURES



BENEFITS

Especially long cool cut
 High cutting performance
 Hard & stiffer than JA512 (JA512 < JA535 ≈ JA539)
 Dry Sanding

APPLICATIONS

Stainless steel / Carbon Steel / Cast Steel / Die Casting / Wood




JA510

Grain type Aluminum Oxide
 Backing JJwt Poly Cotton
 Color Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES




BENEFITS

Burn Free treatment added
 Very flexible backing
 Good at Scissors or surgical products grinding
 Dry sanding

APPLICATIONS

Stainless Steel / Heat treatment Steel / Fork, Scissors, Surgical Instruments / Die Casting / Carbon Steel / Wood / Cast Steel / Chair, Desk, Furniture

PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600

Available on demand only 360, 500
 (Not regularly produced)




JA537

Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600

Available on demand only 280, 360
 (Not regularly produced)

FEATURES



BENEFITS

Excellent cutting performance & Long life time
 High grinding performance in mechanical work as well as manual work on Surface
 Dry Sanding

APPLICATIONS

Stainless steel / Alloyed Steel / Brass / Hard Wood / MDF Board / Particle Board
 Watch case / Door Handle / Surgical Instrument



JA539

Grain type Aluminum Oxide
 Backing Jwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 180, 400

Available on demand only 60, 80, 100, 120, 150, 220, 240, 320, 600
 (Not regularly produced)

BEST



FEATURES



BENEFITS

Burn Free treatment added
 Anti-Slip Treatment
 Dry sanding


APPLICATIONS

Titanium / Heat Treatment Steel / Stainless Steel / Carbon Steel / Die Casting / Cast Steel / Hard Wood / Golf head

JC122 / JC125

Grain type Silicon Carbide
 Backing Jwt Poly Cotton
 Color Black
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

FEATURES



BENEFITS

Anti-slip treatment
 Wear resistant / Heat resistant
 Dry sanding (JC122)
 Wet and Dry sanding (JC125)


APPLICATIONS

Brass Alloy / Copper Alloy / Titanium Alloy / Glass / Non-Ferrous Metal

APPLICATIONS




PRODUCT FORM



GRIT SIZES JC122 - 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 600, 800, 1000
 JC125 - 80, 120, 150, 180, 220, 320


Available on demand only JC122 - 40, 50, 500
 (Not regularly produced) JC125 - 60, 100, 240, 400, 600



JS997

Grain type Ceramic
 Backing Jwt Poly Cotton
 Color Blue
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220

FEATURES



BENEFITS

Burn Free treatment added
 Adequate for low contact pressure sanding
 Deburring forged and die cast metals
 Dry sanding

APPLICATIONS

Heavy Deburring / Stainless Steel (SUS 400,300) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / Nickel and stainless Steel plate and roll / Nickel Alloy Turbine Blade




BEST Recommended for All application



XA167

Grain type Aluminum Oxide
 Backing Xwt Poly Cotton
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-burning treatment
Multi-purpose sanding (Grinding / Finishing / Polishing)
 Surface Sanding and Edge Grinding
 Designed for Flap disc (XA167)
 Dry sanding

GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600


Available on demand only 360, 500
 (Not regularly produced)



XA911

Grain type Aluminum Oxide
 Backing Xwt Poly Cotton
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-burning treatment
 Also used for Flap disc
 Dry sanding

GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600

Available on demand only 16, 24, 280, 360, 800, 1000
 (Not regularly produced)

BEST



XA345

Grain type Aluminum Oxide
 Backing Xwt Poly Cotton
 Color Dark Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-Clogging (Anti-Loading) / Anti-Static treatment
 Surface Sanding and Edge Grinding
 Dry Sanding

GRIT SIZES 36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400

Available on demand only 24, 50, 280, 360
 (Not regularly produced)

BEST




XC227

Grain type Silicon Carbide
 Backing Xwt Poly Cotton
 Color Black
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Oil and Water Resistant
 Deburring forged and die cast metals
 Wet and Dry sanding

GRIT SIZES 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 320, 400

Available on demand only 240, 280, 360
 (Not regularly produced)

APPLICATIONS Titanium / Glass / Concrete / Non-ferrous / Brass / Hard Wood / Coil / Marble / Ceramic


BEST Recommended for Metal



XZ677

Grain type **Zirconia**
 Backing **Xwt Poly Cotton**
 Color **Dark Blue**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS




PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180

FEATURES



BENEFITS

Burn Free treatment added
Oil and Water Resistant
 Deburring forged and die cast metals
 Surface Polishing
 Wet and Dry sanding

APPLICATIONS

Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt, Nickel Alloy / SUS 300 / Malleable Cast Iron / Hard Wood / Titanium



YA531

Grain type **Aluminum Oxide**
 Backing **XYwt Poly Cotton**
 Color **Dark Green**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180, 220, 240

Available on demand only 24, 36, 40, 50, 280, 320, 360, 400
 (Not regularly produced)

FEATURES



BENEFITS

Burn Free treatment added
Multiple Purposes (Grinding/Finishing/Polishing)
 Excellent cutting performance & Long life time
 Deburring forged and die cast metals
 Wet and Dry sanding

APPLICATIONS


Carbon Steel / Stainless Steel / Cobalt and Nickel Alloy / Tool Industry / Aluminum and Zinc Casting




YA347

Grain type **Aluminum Oxide**
 Backing **Ywt Poly Cotton**
 Color **Dark Brown**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS




PRODUCT FORM



GRIT SIZES 60, 80, 100, 120, 150, 180

Available on demand only 24, 36, 40, 50, 220, 240, 280, 320, 360, 400
 (Not regularly produced)

FEATURES



BENEFITS

High strength product
 High performance and good finish
 Dry sanding

APPLICATIONS


Plywood / Plastic



YC343

Grain type **Silicon Carbide**
 Backing **XYwt Poly Cotton**
 Color **Black**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES 36, 40, 60, 80, 100, 120, 150, 180

Available on demand only 24, 50
 (Not regularly produced)

FEATURES



BENEFITS

Anti-slip treatment
 High strength product
 High performance and good finish
 High stretch resistant and very stable backing material
 Dry sanding

APPLICATIONS

Particle Board / Wafer Board / Laminate / Mineral Fiber Board / MDF Board / Veneer



PA343W

Grain type Aluminum Oxide
 Backing Ywt Polyester
 Color Dark Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1650mm

APPLICATIONS



Wood

PRODUCT FORM



Jumbo Roll



Wide Belt

GRIT SIZES 60, 80, 100, 120, 150, 180

Available on demand only 16, 24, 36, 40, 50, 220, 240, 280, 320, 360, 400, 500, 600
 (Not regularly produced)

FEATURES



Open Coat



Anti-Burning



Anti-Clogging



Anti-Slip

ETC.
 Dry Sanding

BENEFITS

Good stretch resistant
 Surface Sanding
 Long Service Time
 Dry sanding

APPLICATIONS

Hard Wood / Soft Wood / Mineral Fiber Board / Veneer / Laminate



PA639

Grain type Aluminum Oxide
 Backing YWt Polyester(P36) | Xwt Polyester(P60-P1000)
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



Stainless Steel



Aluminium

ETC.
 Nickel Alloyed
 Carbon Steel
 PCB

PRODUCT FORM



Jumbo Roll



Narrow Belt



Wide Belt

GRIT SIZES 180, 220, 320, 400, 600, 800, 1000

Available on demand only 80, 1200
 (Not regularly produced)

FEATURES



Close Coat



Anti-Burning

ETC.
 Wet and Dry sanding


BENEFITS

Burn Free treatment added
 Good stretch resistant
 Deburring forged and die cast metals
 Wet and Dry sanding

APPLICATIONS

PCB (Print Circuit Board) / Stainless Steel / Cobalt and Nickel Alloy / Tool Industry / Aluminum and Zinc die casting / Carbon Steel

BEST



PA631

Grain type Aluminum Oxide
 Backing Ywt Polyester
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



Stainless Steel



Aluminium

ETC.
 Nickel Alloyed
 Carbon Steel

PRODUCT FORM



Jumbo Roll



Roll



Narrow Belt



Wide Belt



Hook and Loop

GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 600, 800, 1000

Available on demand only 280, 360, 500
 (Not regularly produced)

FEATURES



Close Coat



Anti-Burning

ETC.
 Wet and Dry Sanding

BENEFITS

Burn Free treatment added
 Good stretch resistant
 Deburring forged and die cast metals
 Wet and Dry sanding

APPLICATIONS

Carbon Steel / Stainless Steel / Cobalt and Nickel Alloy / Tool Industry / Aluminum and Zinc die casting

APPLICATIONS



Stainless Steel



Marble

ETC.
 Nickel Alloyed
 Carbon Steel

PRODUCT FORM



Jumbo Roll



Wide Belt

GRIT SIZES 16, 36, 50, 60

Available on demand only 24, 40, 80, 100, 120
 (Not regularly produced)

FEATURES



Close Coat



Anti-Burning



Anti-Clogging

ETC.
 Wet and Dry sanding

BENEFITS

Best performance for Scagliola
 Good durability and elasticity during wet sanding
 Long life time
 Wet and Dry sanding

APPLICATIONS


Stainless Steel / Marble / Carbon Steel / Nickel Alloyed / Tool making Industry / Aluminum and zinc die casting




PZ343

Grain type Zirconia
 Backing Ywt Polyester
 Color Deep Blue
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 24

FEATURES




BENEFITS

Good stretch resistant
 Dry sanding

APPLICATIONS

Hard Wood / Rubber

BEST Recommended for Metal




PZ533

Grain type Zirconia
 Backing Ywt Polyester
 Color Sky blue
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Burn Free treatment added
 High stretch resistant and very stable backing material
 Deburring forged metal
 Adequate for High contact pressure sanding
 Dry sanding

APPLICATIONS

Titanium / Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt / Nickel Alloy / SUS 300 (Stainless Steel) / Heavy Deburring

BEST




PZ528

Grain type Zirconia
 Backing YYwt Polyester (P24~60) | Ywt Polyester (P80~120)
 Color Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Burn Free treatment added
 Good stretch resistant
 Deburring forged metal
 Adequate for High contact pressure sanding
 Dry sanding

APPLICATIONS

Carbon Steel / Stainless Steel / Cobalt and Nickel Alloy / Tool Industry / Aluminum and Zinc die casting


BEST



PZ628

Grain type Zirconia
 Backing YYwt Polyester (P24~60) | Ywt Polyester (P80~120)
 Color Dark Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Burn Free treatment added
 Oil and water resistant
 Good stretch resistant
 Deburring forged metals
 Adequate for High contact pressure sanding
 Wet and Dry sanding

APPLICATIONS

Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt Nickel alloy / SUS 300 / Heavy Metal


BEST




PZ633

Grain type **Zirconia**
 Backing **Ywt Polyester**
 Color **Dark Blue**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS




PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

Available on demand only 150, 180
 (Not regularly produced)

FEATURES



BENEFITS

Burn Free treatment added
 Oil and water resistant
 Good stretch resistant
 Deburring forged metal
 Adequate for High contact pressure sanding
 Wet and Dry sanding

APPLICATIONS

Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt Nickel alloy / SUS 300 / Heavy Metal

BEST


Recommended for STS coil




PC221 / PC227

Grain type **Silicon Carbide**
 Backing **PC221 - Ywt Polyester | PC227 - XYwt Polyester**
 Color **Black**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS




PRODUCT FORM



GRIT SIZES PC221 - 16, 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 600, 800, 1000
 PC227 - 120, 240, 320

Available on demand only PC221 - 280, 360, 500
 (Not regularly produced) PC227 - 180

FEATURES



BENEFITS

Oil and water resistant
 Deburring forged and die cast metals
 Wet and Dry sanding

APPLICATIONS


**PC227 : Products for Stainless Steel Coil
 Brass Sheet / Glass / Paint Removal / Titanium Sheet Polishing / Concrete / Non-Ferrous Metal / Brass and Bronze Casting / Hard Wood / Ceramic**




PC343W

Grain type **Silicon Carbide**
 Backing **Ywt Polyester**
 Color **Black**
 Coating **Open coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1650mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180

Available on demand only 220
 (Not regularly produced)

FEATURES



BENEFITS

Surface sanding
 Calibration, medium and fine sanding
 Reduced static loading
 Used as wide belt for clean flat sanding of wood
 Removal of sanding dust
 Delays clogging of the abrasive belt
 Long lifetime & no burning marks
 Dry sanding




PS999

Grain type **Ceramic**
 Backing **Ywt Polyester**
 Color **Deep Red**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Available as a flap disc
 Burn free treatment added
 Adequate for low contact pressure sanding
 Good stretch resistant
 Deburring forged and die cast metals
 Dry sanding

APPLICATIONS


Heavy Deburring / Stainless Steel (SUS 400,300) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / Nickel and stainless Steel plate and roll / Nickel Alloy Turbine Blade




PK777

Grain type	Silicon Carbide (Cork)
Backing	XYwt Polyester (P220-1200) Xwt Poly Cotton (Pure cork)
Color	Black (P220-1200) Orange (Pure cork)
Coating	Open coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 220, 320, 400, 600, 800, 1000, 1200

Available on demand only 240, 360, 500
(Not regularly produced)

FEATURES




BENEFITS

Long Service Time
Good for Knee and Hip implants, Cups, Dishes, Flat and circular tube
Wet and Dry sanding

APPLICATIONS

Titanium Alloy / Heat Treatment Steel / Stainless Steel / Carbon Steel / Die Casting / Cast Steel

Recommended for Mini belt




PS330

Grain type	Ceramic
Backing	XYwt Polyester
Color	Deep Red
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 40, 60, 80, 120

Available on demand only 36, 50, 100
(Not regularly produced)

FEATURES




BENEFITS

Designed for mini belt use
Burn free treatment added
Deburring forged and die cast metals
high cutting performance
Dry sanding

APPLICATIONS

Heavy Deburring / Stainless Steel (SUS 300, 400) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / High Cobalt Nickel Alloy

Recommended for Mini belt



PZ330

Grain type	Zirconia
Backing	XYwt Polyester
Color	Sky blue
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 40, 60, 80, 100, 120

Available on demand only 24, 36, 50
(Not regularly produced)

FEATURES



BENEFITS

Designed for mini belt use
Same backing material as PZ533
High cutting performance
Deburring forged and die cast metals
Dry sanding

APPLICATIONS

Titanium / Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt Nickel Alloy / SUS 300 (Stainless Steel) / Heavy Deburring






COMPACT

COMPACT


COMPACT



JG530

Grain type Aluminum Oxide Compact
 Backing Jwt Poly Cotton
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES



BENEFITS

Long service life compared to conventional Aluminum Oxide Compact grain
 Burn Free treatment added
 Dry sanding

APPLICATIONS

Cold Strip Coil / Alloy(CrNi,FeNi) / Non-Ferrous Heavy Metal / General Metal / Repair Industry / Automotive Body

PRODUCT FORM



GRIT SIZES 80, 120, 180, 240, 320, 400, 600, 800

Recommended for Golf head



JX390

Grain type Silicon Carbide Compact
 Backing Jwt Poly Cotton
 Color Dark Gray
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES



BENEFITS

Long service life compared to conventional Silicon Carbide grain
 Burn Free treatment added
 Dry sanding

APPLICATIONS

Titanium Alloy / Heat Treatment Steel / Stainless Steel / Carbon Steel / Die Casting / Cast Steel / Hard Wood / Golf head

PRODUCT FORM



GRIT SIZES 80, 100, 180, 240, 320

Available on demand only 120, 400, 600, 800
 (Not regularly produced)

BEST



PG730

Grain type Aluminum Oxide Compact
 Backing Ywt Polyester
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES




BENEFITS

Long service life compared to conventional Aluminum Oxide grain
 Uniform workplace surface and surface roughness
 Wet sanding

APPLICATIONS

Cold Strip Coil / Alloy(CrNi,FeNi) / Non-Ferrous Heavy Metal / General Metal / Repair Industry / Automotive Body

PRODUCT FORM



GRIT SIZES 80, 120, 180, 240, 320, 400, 600, 800

BEST Recommended for Stainless steel




PG830

Grain type Aluminum Oxide Compact
 Backing Ywt Polyester
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES



BENEFITS

Long service life compared to conventional Aluminum Oxide grain
 Aggressive sanding high stock removal rate
 Dry sanding

APPLICATIONS

Cold Strip Coil / Alloy(CrNi,FeNi) / Non-Ferrous Heavy Metal / General Metal / Repair Industry / Automotive Body

PRODUCT FORM



GRIT SIZES 80, 120, 180, 240, 320, 400, 600, 800

COMPACT

COMPACT



PG810

Grain type	Aluminum Oxide Compact
Backing	Ywt Polyester
Color	Dark Brown
Coating	Open Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 120

Available on demand only 180
(Not regularly produced)

FEATURES




BENEFITS

Especially good for Narrow belt
Long service life compared to conventional Aluminum Oxide grain
Dry sanding

APPLICATIONS

Cold Strip Coil / Alloy(CrNi,FeNi) / Non-Ferrous Heavy Metal / General Metal / Repair Industry / Automotive Body




PX220

Grain type	Silicon Carbide Compact
Backing	Ywt Polyester
Color	Drak Gray
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 80, 100, 120, 180, 240, 320, 400, 600

Available on demand only 60, 800, 1000
(Not regularly produced)

FEATURES



BENEFITS

Long service life compared to conventional Silicon Carbide grain
Dry sanding

APPLICATIONS

Titanium Alloy / Heat treatment / Stainless Steel / Carbon Steel / Die Casting / Cast Steel / Hard Wood




GG820W

Grain type	Aluminum Oxide Compact
Backing	Gwt Paper
Color	Dark Brown
Coating	Open Coat
Bonding	Resin Over Resin
Jumbo roll width	1650mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 180, 240, 320, 400, 600

FEATURES



BENEFITS

Long service life compared to conventional Aluminum Oxide grain
High and fast cutting performance
A more uniform surface quality with a more consistent surface finish
Dry Sanding

APPLICATIONS

Heavy Metal / Non Ferrous / General Metal / Auto Repair / Nickel Alloyed / Coil




PX210

Grain type	Silicon Carbide Compact
Backing	Ywt Polyester
Color	Dark Gray
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES 180, 240, 320, 400, 600, 800, 1000

FEATURES



BENEFITS

Long service life compared to conventional Silicon Carbide grain
Wet sanding

APPLICATIONS

Titanium Alloy / Heat treatment steel / Stainless Steel / Carbon Steel / Die Casting / Cast Steel / Hard Wood



FIBER


BEST Recommended



VA113

Grain type **Aluminum Oxide**
 Backing **Fiber**
 Color **Brown**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 16, 24, 36, 40, 50, 60, 80, 100, 120, 150

BENEFITS

Surface Sanding and Edge Grinding
 Dry Sanding

APPLICATIONS


Iron / Cast Iron / Mild Steel / Welding Rods / Aluminum / Non-Ferrous Metal / Wood / Welding Rods



VA632

Grain type **Aluminum Oxide**
 Backing **Fiber**
 Color **Brown**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 16, 24, 36, 40, 50, 60, 80, 100, 120

Available on demand only 150, 180
 (Not regularly produced)

BENEFITS

Burn Free treatment added
 Surface Sanding and Edge Grinding
 Fast Cut
 Dry sanding

APPLICATIONS


Iron / Cast Iron / Mild Steel / Welding Rods / Aluminum / Non-Ferrous Metal / Wood / Welding Rods



VA115

Grain type **Aluminum Oxide**
 Backing **Fiber**
 Color **Brown**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180

BENEFITS

Excellent for curved surfaces with thin backing compared to VA113
 Surface Sanding and Edge Grinding
 Dry Sanding

APPLICATIONS


Iron / Cast Iron / Mild Steel / Welding Rods / Aluminum Non-Ferrous Metal / Wood / Welding Rods



VC121

Grain type **Silicon Carbide**
 Backing **Fiber**
 Color **Black**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 16, 24, 36, 40, 50, 60, 80, 100, 120

Available on demand only 150, 180, 220, 240, 280, 320, 360, 400
 (Not regularly produced)

BENEFITS

Surface Sanding and Edge Grinding
 Dry sanding

APPLICATIONS

Cast Iron / Mild Steel / Welding Rods / Aluminum / Non-Ferrous Metal




VZ133

Grain type **Zirconia**
 Backing **Fiber**
 Color **Dark Blue**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**

APPLICATIONS




PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Aggressive Fast Cut
 Deburring forged metal
 Dry sanding

APPLICATIONS


Carbon Steel / Forging Steel / Ferrous Metal / Welding Rods




VS999/VS995

Grain type **Ceramic**
 Backing **Fiber**
 Color **Dark Gray**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES VS999 – 24, 36, 40, 50, 60
 VS995 – 24, 36, 40, 50, 60, 80, 100, 120

Available on demand only VS999 – 80, 100, 120
 (Not regularly produced)

FEATURES



BENEFITS

Burn Free treatment added
 Fast cutting, longer wear
 Special Ceramic Grain aggressive cutting performance
 Especially long, cool cut
 Deburring forged metal
 Dry sanding

APPLICATIONS

High-Temperature Material / Carbon Steel / Forging Steel / Ferrous Metal / Welding Rods

BEST Recommended




VZ533

Grain type **Zirconia**
 Backing **Fiber**
 Color **Sky Blue**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1370mm**

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Burn Free treatment added
 Deburring forged metal
 Surface Sanding and Edge Grinding
 Aggressive fast cut
 Dry sanding

APPLICATIONS

Carbon Steel / Forging Steel / Ferrous Metal / Welding Rods





**FLAP DISC-
FLAP WHEEL**

FLAP DISC-FLAP WHEEL


Recommended for Large flap wheel




KA533

Grain type Aluminum Oxide
 Backing JXwt Poly Cotton
 Color Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800

FEATURES



BENEFITS

Designed for Flap Wheel
 High cutting performance
 Dry sanding

APPLICATIONS

Steel / Gray Steel / Casting / Stainless Steel / Non-Ferrous Metal

FLAP DISC-FLAP WHEEL


BEST Recommended




KZ563

Grain type Zirconia
 Backing Xwt Cotton
 Color Blue Green
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 36, 40, 50, 60, 80, 100, 120

Available on demand only 24
 (Not regularly produced)

FEATURES




BENEFITS

Designed for Flap Disc only
 Fast cut
 Aggressive cutting performance
 Dry sanding

APPLICATIONS


Steel / Gray Steel / Casting / Stainless Steel / Non-Ferrous Metal




KA563

Grain type Aluminum Oxide
 Backing Jwt Cotton
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600

FEATURES



BENEFITS

Designed for Flap Disc
 High cutting performance and long life time
 Dry sanding

APPLICATIONS

Steel / Gray Steel / Casting / Stainless Steel / Non-Ferrous Metal



FLAP DISC-FLAP WHEEL


BEST Recommended for All application



XA167

Grain type Aluminum Oxide
 Backing Xwt Poly Cotton
 Color Dark Brown
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES




PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600


Available on demand only 360, 500
 (Not regularly produced)



XA563

Grain type Aluminum Oxide
 Backing Xwt Cotton
 Color Dark Red
 Coating Close Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600, 800

Available on demand only 280, 360
 (Not regularly produced)

BENEFITS


Designed for Flap Disc
 Burn free treatment added
 Welded area and surface and curved surface grinding
 Dry sanding

APPLICATIONS **Welding / Stainless Steel / Unalloyed Steel / Carbon Steel**

XZ660

Grain type Zirconia
 Backing Xwt Poly Cotton
 Color Deep Blue
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 50, 60, 80, 120

Available on demand only 36, 40, 100
 (Not regularly produced)

BENEFITS

Designed for flap disc
 Burn Free treatment added
 High cutting performance and long service time
 Dry sanding

APPLICATIONS **Titanium / Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Alloy / SUS 300 / Heavy Metal**



FLAP DISC-FLAP WHEEL




PZ660(S)

Grain type	Zirconia
Backing	Ywt Polyester
Color	PZ660 - Dark Blue PZ660S - Blue
Coating	Open Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS




PRODUCT FORM



GRIT SIZES PZ660 - 40, 60, 80, 120
PZ660S - 36, 40, 50, 60, 80, 100, 120

Available on demand only PZ660 - 36, 50, 100
(Not regularly produced)

FEATURES



BENEFITS

Designed for flap disc
Anti-clogging treatment added (PZ660S)
Burn Free treatment added
Dry sanding

APPLICATIONS

Titanium / Malleable Cast Iron / Rotor and Blade / Air Jet Blade / Low Carbon Steel / High Cobalt Nickel alloy / Stainless steel (SUS300) / Heavy Metal

FLAP DISC-FLAP WHEEL

BEST Recommended




PS994

Grain type	Ceramic
Backing	Ywt Polyester
Color	Yellow
Coating	Close coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

FEATURES



BENEFITS

Designed for Flap Disc
Burn Free treatment added
Adequate for low contact pressure sanding
Good stretch resistant
Deburring forged and die cast metals
Dry sanding

APPLICATIONS

Heavy Deburring / Stainless Steel (SUS 400,300) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / Nickel and stainless Steel plate and roll / Nickel Alloy Turbine Blade




PS660S

Grain type	Ceramic
Backing	Ywt Polyester (P36,40) Xwt Polyester (P50-120)
Color	Scarlet
Coating	Open Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm

APPLICATIONS



PRODUCT FORM



GRIT SIZES 40, 60, 80, 100, 120

Available on demand only 36, 50
(Not regularly produced)

FEATURES



BENEFITS

Designed for flap disc only
High cutting performance and long life time
Dry sanding

APPLICATIONS

Titanium / Malleable cast iron / Rotors and blades / Air jet blades / Low carbon steel / High cobalt, nickel alloys / Stainless steel (SUS300) / Other heavy metal





SG DISC


Recommended for Shipyard



SG DISC BROWN (TA931)

Grain type	Aluminum Oxide
Backing	Polyester + Jute Fiber
Color	Brown
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	-


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 24, 36


BENEFITS

Curl resistant upgrade (No curl) in any conditions
 Excellent performance in flat and curved surface
 Outstanding performance in polishing work for shipbuilding
 Dry sanding

APPLICATIONS

Aluminium / Non Ferrous / Welding / General Metal / Cast Iron


Recommended for Shipyard



SG DISC RED (TS999)

Grain type	Zirconia
Backing	Polyester + Jute Fiber
Color	Deep Red
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	-


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 36

BENEFITS

The most powerful cutting performance
 Durability upgrade than general vulcanized fiber products
 Curl resistant upgrade (No curl) in any conditions
 The best productivity in disc type
 Dry sanding

APPLICATIONS

Stainless steel / Welding Rods / Non-ferrous / Aluminum / Cast iron / General steel / Ferrous metals




Recommended for Shipyard



SG DISC BLUE (TZ933)

Grain type	Zirconia
Backing	Polyester + Jute Fiber
Color	Sky Blue
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	-

APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 36

BENEFITS

The most powerful cutting performance
 Durability upgrade than general vulcanized fiber products
 Curl resistant upgrade (No curl) in any conditions
 The best productivity in disc type
 Dry sanding

APPLICATIONS

Stainless steel / Welding Rods / Non-ferrous / Aluminum / Cast iron / General steel / Ferrous metals



BOARD

BOARD

BOARD



GC343W

Grain type **Silicon Carbide**
 Backing **Gwt Paper**
 Color **Black**
 Coating **Close Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1650mm**

APPLICATIONS



FEATURES



BENEFITS

Anti-clogging (Anti-loading) / Anti-static Product
 Good for board works
 Dry sanding

APPLICATIONS

Particle Board / Wafer Board / MDF Board / Mineral Fiber Board / Paint / Leather / Textile / Plastic

PRODUCT FORM



GRIT SIZES 120, 150, 180, 220


Available on demand only 80, 100, 240
 (Not regularly produced)




PC340

Grain type **Silicon Carbide**
 Backing **Ywt Polyester**
 Color **Black**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS




FEATURES



BENEFITS

Anti-burning / Anti-clogging (Anti-loading) treatment
 High Strength and Stability
 Recommended a tape joint on grain side for segmented belt
 Dry sanding


PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180

APPLICATIONS

Particle Board / Wafer Board / MDF Board / Hard Board / Mineral Fiber Board



YC343

Grain type **Silicon Carbide**
 Backing **XYwt Poly Cotton**
 Color **Black**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1380mm**

APPLICATIONS



FEATURES



BENEFITS

Anti-slip treatment
 High strength product
 High performance and good finish
 High stretch resistant and very stable backing material
 Dry Sanding

APPLICATIONS

Particle Board / Wafer Board / Laminate / Mineral Fiber Board / MDF Board / Veneer


PRODUCT FORM



GRIT SIZES 36, 40, 60, 80, 100, 120, 150, 180

Available on demand only 24, 50
 (Not regularly produced)


Recommended




PC340W

Grain type **Silicon Carbide**
 Backing **Ywt Polyester**
 Color **Black**
 Coating **Open Coat**
 Bonding **Resin Over Resin**
 Jumbo roll width **1580mm**

APPLICATIONS




FEATURES



BENEFITS

Anti-burning / Anti-clogging (Anti-loading) treatment
 High Strength and Stability
 Recommended a tape joint on grain side for segmented belt
 Dry sanding

PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120, 150, 180

APPLICATIONS

Particle Board / Wafer Board / MDF Board / Hard Board / Mineral Fiber Board


BEST




EA343

Grain type Aluminum Oxide
 Backing Ewt Paper
 Color Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-clogging (Anti-loading) / Anti-static Product
 High durability
 Dry sanding

GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600

APPLICATIONS Soft Wood / Veneer / Textile / Leather / Paint / Plastic / Auto Paint



PA343W

Grain type Aluminum Oxide
 Backing Ywt Polyester
 Color Dark Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1650mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Good stretch resistant
 Surface Sanding
 Long Service Time
 Dry sanding

GRIT SIZES 60, 80, 100, 120, 150, 180

APPLICATIONS Hard Wood / Soft Wood / Mineral Fiber Board / Veneer / Laminate

Available on demand only 16, 24, 36, 40, 50, 220, 240, 280, 320, 360, 400, 500, 600
 (Not regularly produced)


BEST Recommended




XA345

Grain type Aluminum Oxide
 Backing Xwt Poly Cotton
 Color Dark Brown
 Coating Open Coat
 Bonding Resin Over Resin
 Jumbo roll width 1380mm

APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


Anti-clogging (Anti-loading) / Anti-static treatment
 Dry sanding

GRIT SIZES 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 360, 400, 500, 600


APPLICATIONS Plywood / MDF Board / Particle Board / Textile / Plastics / Leather / Paint

Available on demand only 280
 (Not regularly produced)


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Anti-Clogging (Anti-Loading) / Anti-Static treatment
 Surface Sanding and Edge Grinding
 Dry Sanding

GRIT SIZES 36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400


APPLICATIONS Solid Wood / Plywood / Veneer / Textile / Leather / Plastic

Available on demand only 24, 50, 280, 360
 (Not regularly produced)



BORA


Made in China



BORA1 (SS338)

Grain type	Ceramic
Backing	PE film
Color	Purple
Coating	Open Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS


High Cutting Performance
Surface Sanding and Finishing
Wet and Dry sanding

APPLICATIONS

Paint / Repair / Automotive Body / General Metal

GRIT SIZES 40, 60, 80, 100, 120, 150, 180, 220


Available on demand only 36
(Not regularly produced)



BORA3 (JS993)

Grain type	Ceramic
Backing	Jwt Poly Cotton
Color	Purple
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



BENEFITS

Burn Free treatment added
Adequate for Low contact pressure sanding
Deburring forged and die cast metals
Dry sanding

GRIT SIZES 60, 80, 100, 120, 150, 180

Available on demand only 220
(Not regularly produced)

APPLICATIONS

Heavy Deburring / Stainless Steel (SUS 400,300) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / Nickel and stainless Steel plate and roll / Nickel Alloy Turbine Blade



BEST Recommended



BORA7 (PS990S)

Grain type	Ceramic
Backing	YYwt Polyester
Color	Purple
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

Available on demand only 150, 180
(Not regularly produced)


BENEFITS

Burn Free treatment added
High Grinding Performance
Adequate for High contact pressure sanding
Dry Sanding

APPLICATIONS

Heavy Deburring / Stainless Steel (SUS 400,300) / Air Jet Blade / Heat Sensitive Alloy / Low Carbon Steel / Hammer Head / Nickel and stainless Steel plate and roll / Nickel Alloy Turbine Blade

BEST Recommended



BORA9 (VS990)

Grain type	Ceramic
Backing	Fiber
Color	Purple
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1370mm


APPLICATIONS



FEATURES



PRODUCT FORM



GRIT SIZES 24, 36, 40, 50, 60, 80, 100, 120

BENEFITS

Burn Free treatment added
High Grinding Performance
Good for welding works
Deburring forged metal
Edge Grinding and Surface sanding
Dry sanding

APPLICATIONS


High Temperature Material / Carbon Steel / Forging Steel / Ferrous Metal



The image shows a collection of non-slip tape samples laid out on a speckled granite surface. There are four strips of tape in different colors: black, grey, brown, and dark brown. Three rolls of tape are also visible, with yellow, white, and light grey backing. A white circular callout box with a thin red border is positioned on the right side of the image, containing the text 'NON-SLIP TAPE (NSTP)'.

**NON-SLIP TAPE
(NSTP)**


NON-SLIP TAPE (NSTP)



NON-SLIP TAPE (NSTP)

Grain type	Aluminum Oxide
Backing	PE Film
Color	Black, Gray(NSTP-2), Dark Red(NSTP-7)
Coating	Close Coat
Bonding	Resin Over Resin
Jumbo roll width	1380mm


PRODUCT FORM



Marble

Floor

PRODUCT FORM



Jumbo Roll

Roll

GRIT SIZES 40, 60

Available on demand only 36
(Not regularly produced)

FEATURES




Close Coat

Anti-Slip

ETC.
Wet and Dry sanding

BENEFITS

General use on the stairs, marble & tile for non-slip
Suitable for both interior or exterior use
Wet and Dry sanding



MEMO

Abrasives Professional
DEERFOS

E-mail: deerfos@deerfos.com
www.deerfos.com

© 2022 Deerfos All Rights Reserved.

Abrasives Professional
DEERFOS

MEMO

MEMO

MEMO